

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,026.9	21.1	9.1	25.0	15.4	31.8	20.8	53.6	100.0	145.2	210.5	361.3	700.0	1,294.3	2,078.7	2,896.9	3,380.0	4,363.2	4,325.0	.
	口腔・咽頭	C00-C14	19.3	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	4.8	10.5	9.7	16.1	31.4	53.2	28.1	76.0	57.9	56.3	.
	食道	C15	33.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	7.1	2.6	0.0	19.4	51.4	85.1	103.1	100.0	152.6	106.3	.
	胃	C16	202.7	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.3	23.8	15.8	61.3	135.5	245.7	419.1	628.1	712.0	931.6	756.3	.
	大腸（結腸・直腸）	C18-C20	163.5	0.0	0.0	0.0	0.0	0.0	0.0	17.9	18.8	14.3	39.5	80.6	148.4	168.6	383.0	418.8	504.0	673.7	681.3	.
	結腸	C18	105.7	0.0	0.0	0.0	0.0	0.0	0.0	10.7	6.3	9.5	13.2	51.6	67.7	117.1	240.4	262.5	336.0	484.2	481.3	.
	直腸	C19-C20	57.9	0.0	0.0	0.0	0.0	0.0	0.0	7.1	12.5	4.8	26.3	29.0	80.6	51.4	142.6	156.3	168.0	189.5	200.0	.
	肝および肝内胆管	C22	41.7	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	2.6	3.2	29.0	37.1	78.7	131.3	144.0	226.3	193.8	.
	胆のう・胆管	C23-C24	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	20.0	40.4	62.5	88.0	184.2	193.8	.
	膵臓	C25	42.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.4	5.3	22.6	32.3	40.0	83.0	118.8	160.0	200.0	187.5	.
	喉頭	C32	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.6	9.7	16.1	2.9	19.1	40.6	24.0	36.8	50.0	.
	肺	C33-C34	153.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	11.9	26.3	51.6	80.6	245.7	297.9	412.5	496.0	657.9	756.3	.
	皮膚	C43-C44	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	11.9	5.3	3.2	0.0	20.0	12.8	53.1	72.0	68.4	100.0	.
	乳房	C50	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	3.2	0.0	2.1	0.0	4.0	5.3	0.0	.
	前立腺	C61	135.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	48.4	197.1	283.0	487.5	544.0	536.8	512.5	.
	膀胱	C67	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.6	6.5	19.4	40.0	44.7	81.3	80.0	152.6	187.5	.
	腎・尿路（膀胱除く）	C64-C66 C68	40.2	0.0	0.0	0.0	0.0	0.0	0.0	3.6	9.4	14.3	23.7	16.1	35.5	45.7	83.0	106.3	120.0	163.2	131.3	.
	脳・中枢神経系	C70-C72	7.6	0.0	4.5	4.2	0.0	0.0	4.2	3.6	12.5	7.1	2.6	0.0	12.9	8.6	10.6	21.9	12.0	5.3	25.0	.
	甲状腺	C73	14.2	0.0	0.0	4.2	0.0	18.2	4.2	7.1	0.0	7.1	18.4	19.4	19.4	20.0	34.0	15.6	28.0	26.3	18.8	.
	悪性リンパ腫	C81-C85 C96	34.5	5.3	0.0	4.2	7.7	0.0	0.0	3.6	6.3	4.8	18.4	22.6	32.3	48.6	66.0	75.0	128.0	78.9	156.3	.
	多発性骨髄腫	C88-C90	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	3.2	0.0	8.6	19.1	9.4	12.0	36.8	43.8	.
	白血病	C91-C95	10.7	15.8	0.0	4.2	3.8	9.1	8.3	0.0	3.1	2.4	5.3	16.1	6.5	8.6	14.9	12.5	16.0	52.6	43.8	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	744.5	11.1	0.0	4.3	16.7	36.8	59.1	88.0	220.0	341.0	463.9	561.3	687.5	877.8	1,113.7	1,338.9	1,531.3	1,864.5	2,092.5	・
	口腔・咽頭	C00-C14	10.2	0.0	0.0	0.0	4.2	0.0	0.0	0.0	6.7	7.7	5.6	9.7	3.1	8.3	13.7	13.9	21.9	22.6	37.5	・
	食道	C15	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	6.3	11.1	7.8	16.7	12.5	19.4	20.0	・
	胃	C16	100.7	0.0	0.0	0.0	0.0	0.0	4.5	4.0	6.7	2.6	25.0	32.3	53.1	80.6	137.3	225.0	265.6	325.8	362.5	・
	大腸（結腸・直腸）	C18-C20	127.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	13.3	33.3	41.7	58.1	65.6	130.6	207.8	219.4	318.8	361.3	442.5	・
	結腸	C18	94.7	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	17.9	27.8	38.7	25.0	97.2	137.3	163.9	256.3	293.5	355.0	・
	直腸	C19-C20	32.3	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	15.4	13.9	19.4	40.6	33.3	70.6	55.6	62.5	67.7	87.5	・
	肝および肝内胆管	C22	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.2	3.1	16.7	25.5	38.9	59.4	96.8	100.0	・
	胆のう・胆管	C23-C24	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.8	3.2	6.3	13.9	17.6	44.4	50.0	71.0	137.5	・
	膵臓	C25	32.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	5.6	9.7	12.5	30.6	51.0	69.4	75.0	90.3	137.5	・
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	5.6	0.0	3.2	0.0	・
	肺	C33-C34	72.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	17.9	8.3	12.9	53.1	83.3	111.8	177.8	181.3	222.6	212.5	・
	皮膚	C43-C44	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.6	2.8	9.7	6.3	8.3	15.7	25.0	25.0	45.2	82.5	・
	乳房	C50	139.2	0.0	0.0	0.0	0.0	0.0	13.6	20.0	86.7	164.1	216.7	203.2	228.1	236.1	223.5	222.2	206.3	161.3	140.0	・
	子宮	C53-C55	38.9	0.0	0.0	0.0	0.0	5.3	4.5	16.0	26.7	43.6	44.4	87.1	78.1	80.6	62.7	44.4	46.9	32.3	30.0	・
	子宮頸部	C53	13.0	0.0	0.0	0.0	0.0	5.3	4.5	16.0	16.7	17.9	11.1	16.1	15.6	22.2	15.7	22.2	21.9	6.5	15.0	・
	子宮体部	C54	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	25.6	33.3	71.0	62.5	58.3	45.1	19.4	25.0	25.8	12.5	・
	卵巣	C56	16.8	0.0	0.0	0.0	0.0	5.3	9.1	8.0	10.0	20.5	8.3	35.5	28.1	30.6	17.6	22.2	15.6	32.3	25.0	・
	膀胱	C67	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.2	9.4	5.6	7.8	27.8	15.6	41.9	50.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.6	2.8	3.2	9.4	19.4	25.5	44.4	31.3	64.5	55.0	・
	脳・中枢神経系	C70-C72	4.2	0.0	0.0	4.3	0.0	0.0	4.5	4.0	6.7	5.1	0.0	6.5	3.1	0.0	3.9	8.3	15.6	3.2	5.0	・
	甲状腺	C73	25.7	0.0	0.0	0.0	4.2	15.8	9.1	24.0	26.7	28.2	50.0	41.9	40.6	38.9	35.3	27.8	21.9	32.3	17.5	・
	悪性リンパ腫	C81-C85 C96	33.6	0.0	0.0	0.0	4.2	0.0	9.1	0.0	3.3	2.6	11.1	29.0	37.5	38.9	62.7	52.8	68.8	116.1	77.5	・
	多発性骨髄腫	C88-C90	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	2.8	3.2	3.1	0.0	11.8	8.3	9.4	12.9	32.5	・
	白血病	C91-C95	9.5	11.1	0.0	0.0	0.0	5.3	4.5	4.0	6.7	2.6	5.6	3.2	3.1	11.1	7.8	8.3	25.0	25.8	32.5	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	881.2	16.2	4.8	14.9	16.0	34.1	39.1	69.8	158.1	239.5	333.8	461.3	693.7	1,083.1	1,576.5	2,072.1	2,343.9	2,816.0	2,730.4	・
	口腔・咽頭	C00-C14	14.6	0.0	0.0	0.0	2.0	2.4	0.0	0.0	3.2	6.2	8.1	9.7	9.5	19.7	32.7	20.6	45.6	36.0	42.9	・
	食道	C15	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.7	2.7	0.0	12.7	31.0	44.9	57.4	50.9	70.0	44.6	・
	胃	C16	150.0	0.0	0.0	0.0	0.0	0.0	2.2	3.8	6.5	13.6	20.3	46.8	93.7	162.0	272.4	414.7	461.4	556.0	475.0	・
	大腸（結腸・直腸）	C18-C20	144.7	0.0	0.0	0.0	0.0	0.0	0.0	13.2	16.1	23.5	40.5	69.4	106.3	149.3	291.8	313.2	400.0	480.0	510.7	・
	結腸	C18	100.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	6.5	13.6	20.3	45.2	46.0	107.0	186.7	210.3	291.2	366.0	391.1	・
	直腸	C19-C20	44.7	0.0	0.0	0.0	0.0	0.0	0.0	5.7	9.7	9.9	20.3	24.2	60.3	42.3	105.1	102.9	108.8	114.0	119.6	・
	肝および肝内胆管	C22	32.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	2.7	3.2	15.9	26.8	51.0	82.4	98.2	146.0	126.8	・
	胆のう・胆管	C23-C24	24.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	3.2	3.2	16.9	28.6	52.9	66.7	114.0	153.6	・
	膵臓	C25	37.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.5	5.4	16.1	22.2	35.2	66.3	92.6	112.3	132.0	151.8	・
	喉頭	C32	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	4.8	7.9	1.4	9.2	22.1	10.5	16.0	14.3	・
	肺	C33-C34	111.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	14.8	17.6	32.3	66.7	163.4	201.0	288.2	319.3	388.0	367.9	・
	皮膚	C43-C44	16.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	7.4	4.1	6.5	3.2	14.1	14.3	38.2	45.6	54.0	87.5	・
	乳房	C50	72.4	0.0	0.0	0.0	0.0	0.0	6.5	9.4	41.9	80.2	105.4	101.6	117.5	119.7	117.3	117.6	117.5	102.0	100.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	4.8	14.3	22.5	25.5	52.9	43.9	84.0	89.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	28.6	0.0	0.0	0.0	0.0	0.0	0.0	1.9	8.1	8.6	13.5	9.7	22.2	32.4	53.1	73.5	70.2	104.0	76.8	・
	脳・中枢神経系	C70-C72	5.8	0.0	2.4	4.3	0.0	0.0	4.3	3.8	9.7	6.2	1.4	3.2	7.9	4.2	7.1	14.7	14.0	4.0	10.7	・
	甲状腺	C73	20.2	0.0	0.0	2.1	2.0	17.1	6.5	15.1	12.9	17.3	33.8	30.6	30.2	29.6	34.7	22.1	24.6	30.0	17.9	・
	悪性リンパ腫	C81-C85 C96	34.0	2.7	0.0	2.1	6.0	0.0	4.3	1.9	4.8	3.7	14.9	25.8	34.9	43.7	64.3	63.2	94.7	102.0	100.0	・
	多発性骨髄腫	C88-C90	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.2	1.4	3.2	1.6	4.2	15.3	8.8	10.5	22.0	35.7	・
	白血病	C91-C95	10.1	13.5	0.0	2.1	2.0	7.3	6.5	1.9	4.8	2.5	5.4	9.7	4.8	9.9	11.2	10.3	21.1	36.0	35.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計