

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,088.9	31.6	5.0	4.3	32.0	16.0	34.8	76.9	79.3	111.1	231.0	370.6	745.2	1,154.8	2,075.7	2,815.0	3,533.3	4,289.5	4,544.4	.
	口腔・咽頭	C00-C14	21.5	0.0	0.0	0.0	4.0	0.0	4.3	7.7	3.4	2.8	9.5	14.7	16.1	22.6	59.5	45.0	53.3	63.2	77.8	.
	食道	C15	40.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.8	14.7	19.4	45.2	94.6	117.5	136.7	131.6	161.1	.
	胃	C16	193.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	5.6	19.0	44.1	112.9	183.9	389.2	520.0	673.3	926.3	722.2	.
	大腸（結腸・直腸）	C18-C20	162.5	0.0	0.0	0.0	0.0	0.0	0.0	11.5	6.9	13.9	64.3	70.6	161.3	203.2	351.4	362.5	496.7	636.8	572.2	.
	結腸	C18	103.6	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.4	11.1	33.3	35.3	83.9	90.3	197.3	252.5	350.0	389.5	472.2	.
	直腸	C19-C20	58.9	0.0	0.0	0.0	0.0	0.0	0.0	7.7	3.4	2.8	31.0	35.3	77.4	112.9	154.1	110.0	146.7	247.4	100.0	.
	肝および肝内胆管	C22	47.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	7.1	8.8	22.6	29.0	62.2	147.5	173.3	221.1	227.8	.
	胆のう・胆管	C23-C24	24.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.9	9.7	6.5	45.9	72.5	73.3	131.6	127.8	.
	膵臓	C25	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	7.1	14.7	58.1	45.2	89.2	130.0	196.7	147.4	216.7	.
	喉頭	C32	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.9	3.2	16.1	21.6	40.0	33.3	15.8	16.7	.
	肺	C33-C34	158.9	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	5.6	9.5	55.9	77.4	167.7	294.6	385.0	563.3	647.4	816.7	.
	皮膚	C43-C44	21.3	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	8.3	7.1	8.8	12.9	9.7	24.3	27.5	60.0	126.3	161.1	.
	乳房	C50	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	5.4	7.5	6.7	0.0	5.6	.
	前立腺	C61	163.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	14.7	83.9	174.2	337.8	510.0	610.0	652.6	572.2	.
	膀胱	C67	31.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	2.4	8.8	12.9	45.2	43.2	85.0	86.7	126.3	205.6	.
	腎・尿路（膀胱除く）	C64-C66 C68	41.7	5.3	0.0	4.3	0.0	0.0	0.0	3.8	3.4	5.6	16.7	20.6	32.3	64.5	78.4	100.0	100.0	147.4	188.9	.
	脳・中枢神経系	C70-C72	6.7	5.3	0.0	0.0	4.0	0.0	0.0	3.8	6.9	8.3	7.1	0.0	6.5	9.7	5.4	12.5	16.7	15.8	16.7	.
	甲状腺	C73	12.3	0.0	0.0	0.0	0.0	8.0	4.3	15.4	20.7	8.3	9.5	17.6	19.4	16.1	18.9	12.5	23.3	21.1	11.1	.
	悪性リンパ腫	C81-C85 C96	39.3	0.0	0.0	0.0	8.0	0.0	0.0	0.0	17.2	13.9	9.5	8.8	41.9	54.8	54.1	87.5	113.3	157.9	172.2	.
	多発性骨髄腫	C88-C90	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	6.5	6.5	16.2	12.5	23.3	21.1	27.8	.
	白血病	C91-C95	16.6	21.1	5.0	0.0	8.0	8.0	8.7	11.5	0.0	8.3	14.3	23.5	9.7	12.9	18.9	32.5	40.0	36.8	38.9	.

*1 総数は年齢不詳を含む
*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	775.4	23.5	0.0	0.0	4.2	38.1	47.4	147.8	196.3	358.8	450.0	530.3	780.6	863.6	1,050.0	1,393.2	1,510.8	1,758.6	2,207.0	・
	口腔・咽頭	C00-C14	10.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	17.6	2.5	9.1	12.9	12.1	10.0	15.9	18.9	17.2	34.9	・
	食道	C15	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7.5	9.1	9.7	21.2	12.5	15.9	16.2	17.2	18.6	・
	胃	C16	88.3	0.0	0.0	0.0	0.0	0.0	5.3	8.7	3.7	8.8	7.5	27.3	51.6	57.6	120.0	186.4	216.2	282.8	297.7	・
	大腸（結腸・直腸）	C18-C20	121.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.7	14.7	32.5	63.6	116.1	93.9	170.0	193.2	308.1	355.2	409.3	・
	結腸	C18	92.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.8	25.0	33.3	83.9	72.7	122.5	156.8	232.4	272.4	327.9	・
	直腸	C19-C20	28.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	5.9	7.5	30.3	32.3	21.2	47.5	36.4	75.7	82.8	81.4	・
	肝および肝内胆管	C22	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	3.2	9.1	22.5	15.9	54.1	89.7	90.7	・
	胆のう・胆管	C23-C24	22.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.1	22.5	29.5	40.5	82.8	132.6	・
	膵臓	C25	40.2	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	7.5	3.0	16.1	24.2	50.0	88.6	100.0	124.1	151.2	・
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	・
	肺	C33-C34	71.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	8.8	7.5	27.3	35.5	81.8	95.0	143.2	164.9	196.6	255.8	・
	皮膚	C43-C44	20.5	0.0	0.0	0.0	0.0	4.8	0.0	4.3	7.4	2.9	5.0	9.1	19.4	15.2	22.5	22.7	40.5	41.4	100.0	・
	乳房	C50	162.9	0.0	0.0	0.0	0.0	4.8	5.3	39.1	63.0	158.8	230.0	193.9	271.0	260.6	257.5	286.4	254.1	196.6	202.3	・
	子宮	C53-C55	44.5	0.0	0.0	0.0	0.0	4.8	10.5	34.8	33.3	64.7	57.5	87.9	116.1	54.5	45.0	70.5	43.2	24.1	44.2	・
	子宮頸部	C53	17.7	0.0	0.0	0.0	0.0	0.0	5.3	30.4	25.9	35.3	20.0	36.4	16.1	18.2	12.5	27.3	21.6	13.8	18.6	・
	子宮体部	C54	25.9	0.0	0.0	0.0	0.0	4.8	5.3	4.3	7.4	29.4	37.5	51.5	100.0	36.4	32.5	40.9	21.6	6.9	18.6	・
	卵巣	C56	19.7	0.0	0.0	0.0	0.0	9.5	5.3	0.0	29.6	17.6	37.5	24.2	38.7	30.3	35.0	31.8	16.2	0.0	23.3	・
	膀胱	C67	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.5	3.0	3.2	12.1	20.0	22.7	29.7	69.0	48.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	2.5	12.1	6.5	18.2	30.0	38.6	40.5	27.6	100.0	・
	脳・中枢神経系	C70-C72	5.0	11.8	0.0	0.0	0.0	4.8	5.3	8.7	3.7	5.9	2.5	6.1	3.2	3.0	2.5	6.8	5.4	10.3	9.3	・
	甲状腺	C73	22.0	0.0	0.0	0.0	0.0	4.8	10.5	26.1	18.5	32.4	20.0	15.2	32.3	27.3	27.5	50.0	29.7	17.2	27.9	・
	悪性リンパ腫	C81-C85 C96	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	5.9	12.5	12.1	25.8	78.8	47.5	77.3	62.2	79.3	102.3	・
	多発性骨髄腫	C88-C90	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	12.1	5.0	20.5	18.9	10.3	27.9	・
	白血病	C91-C95	10.1	0.0	0.0	0.0	4.2	4.8	0.0	4.3	3.7	2.9	2.5	3.0	0.0	9.1	12.5	22.7	24.3	24.1	30.2	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	927.5	27.8	2.6	2.3	18.4	26.1	40.5	110.2	135.7	231.4	337.8	449.3	762.9	1,004.7	1,542.9	2,070.2	2,416.4	2,760.4	2,896.7	・
	口腔・咽頭	C00-C14	15.9	0.0	0.0	0.0	2.0	0.0	2.4	6.1	1.8	10.0	6.1	11.9	14.5	17.2	33.8	29.8	34.3	35.4	47.5	・
	食道	C15	24.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.1	11.9	14.5	32.8	51.9	64.3	70.1	62.5	60.7	・
	胃	C16	139.4	0.0	0.0	0.0	0.0	0.0	2.4	4.1	7.1	7.1	13.4	35.8	82.3	118.8	249.4	345.2	420.9	537.5	423.0	・
	大腸（結腸・直腸）	C18-C20	141.5	0.0	0.0	0.0	0.0	0.0	0.0	8.2	5.4	14.3	48.8	67.2	138.7	146.9	257.1	273.8	392.5	466.7	457.4	・
	結腸	C18	98.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.6	10.0	29.3	34.3	83.9	81.3	158.4	202.4	285.1	318.8	370.5	・
	直腸	C19-C20	43.4	0.0	0.0	0.0	0.0	0.0	0.0	6.1	1.8	4.3	19.5	32.8	54.8	65.6	98.7	71.4	107.5	147.9	86.9	・
	肝および肝内胆管	C22	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.7	9.0	12.9	18.8	41.6	78.6	107.5	141.7	131.1	・
	胆のう・胆管	C23-C24	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.5	6.5	7.8	33.8	50.0	55.2	102.1	131.1	・
	膵臓	C25	45.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	2.9	7.3	9.0	37.1	34.4	68.8	108.3	143.3	133.3	170.5	・
	喉頭	C32	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.5	1.6	7.8	10.4	20.2	14.9	6.3	4.9	・
	肺	C33-C34	114.0	0.0	0.0	0.0	0.0	0.0	2.4	2.0	3.6	7.1	8.5	41.8	56.5	123.4	190.9	258.3	343.3	375.0	421.3	・
	皮膚	C43-C44	20.9	0.0	0.0	0.0	0.0	2.2	2.4	2.0	3.6	5.7	6.1	9.0	16.1	12.5	23.4	25.0	49.3	75.0	118.0	・
	乳房	C50	84.8	0.0	0.0	0.0	0.0	2.2	2.4	18.4	30.4	77.1	113.4	95.5	135.5	134.4	136.4	153.6	143.3	118.8	144.3	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.4	2.4	6.0	8.1	28.1	31.2	52.4	55.2	91.7	95.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	30.7	2.8	0.0	2.3	0.0	0.0	0.0	2.0	3.6	2.9	9.8	16.4	19.4	40.6	53.2	67.9	67.2	75.0	126.2	・
	脳・中枢神経系	C70-C72	5.8	8.3	0.0	0.0	2.0	2.2	2.4	6.1	5.4	7.1	4.9	3.0	4.8	6.3	3.9	9.5	10.4	12.5	11.5	・
	甲状腺	C73	17.3	0.0	0.0	0.0	0.0	6.5	7.1	20.4	19.6	20.0	14.6	16.4	25.8	21.9	23.4	32.1	26.9	18.8	23.0	・
	悪性リンパ腫	C81-C85 C96	37.4	0.0	0.0	0.0	4.1	0.0	0.0	0.0	14.3	10.0	11.0	10.4	33.9	67.2	50.6	82.1	85.1	110.4	123.0	・
	多発性骨髄腫	C88-C90	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4.8	9.4	10.4	16.7	20.9	14.6	27.9	・
	白血病	C91-C95	13.2	11.1	2.6	0.0	6.1	6.5	4.8	8.2	1.8	5.7	8.5	13.4	4.8	10.9	15.6	27.4	31.3	29.2	32.8	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計