

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,018.2	28.3	19.9	22.5	4.2	12.5	37.1	35.6	66.7	104.1	182.9	372.9	529.7	1,123.2	1,875.9	2,670.6	3,510.3	3,706.2	4,338.5	・
	口腔・咽頭	C00-C14	22.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	2.9	9.5	28.9	19.1	26.2	46.4	73.6	61.6	66.5	16.5	・
	食道	C15	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.3	12.8	36.0	75.4	113.9	140.4	107.4	87.9	・
	胃	C16	160.4	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.5	11.6	14.2	31.8	44.7	176.8	292.8	470.0	558.2	633.9	708.4	・
	大腸（結腸・直腸）	C18-C20	164.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.1	31.8	38.0	80.9	134.0	245.6	301.5	408.3	565.1	495.9	598.6	・
	結腸	C18	106.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	17.4	28.5	40.5	89.3	153.9	182.7	246.9	359.6	373.2	439.3	・
	直腸	C19-C20	57.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	14.5	9.5	40.5	44.7	91.7	118.9	161.4	205.5	122.7	159.3	・
	肝および肝内胆管	C22	41.2	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.7	14.5	6.4	45.8	78.3	102.1	157.5	153.4	197.7	・
	胆のう・胆管	C23-C24	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	9.6	19.6	20.3	54.6	99.3	143.1	148.3	・
	膵臓	C25	46.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	9.5	17.3	25.5	52.4	87.0	118.7	150.7	173.8	219.7	・
	喉頭	C32	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.9	0.0	0.0	8.7	19.0	44.5	35.8	27.5	・
	肺	C33-C34	160.2	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.5	8.7	19.0	37.6	73.4	140.8	289.9	460.5	616.4	562.3	708.4	・
	皮膚	C43-C44	20.7	0.0	0.0	0.0	0.0	4.2	4.1	0.0	3.5	2.9	4.7	8.7	12.8	13.1	34.8	23.7	75.3	66.5	164.8	・
	乳房	C50	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.3	2.9	2.4	3.4	0.0	0.0	・
	前立腺	C61	141.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	20.2	51.1	147.4	281.2	413.0	517.1	608.3	554.7	・
	膀胱	C67	36.4	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	4.7	14.5	12.8	22.9	75.4	76.0	119.9	143.1	236.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	39.6	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	11.6	14.2	11.6	25.5	58.9	81.2	95.0	109.6	138.0	170.2	・
	脳・中枢神経系	C70-C72	5.2	0.0	5.0	9.0	4.2	0.0	0.0	4.0	0.0	2.9	4.7	2.9	0.0	3.3	5.8	7.1	13.7	20.4	16.5	・
	甲状腺	C73	7.4	0.0	0.0	0.0	0.0	4.2	8.3	7.9	7.0	11.6	7.1	8.7	6.4	9.8	2.9	11.9	3.4	20.4	22.0	・
	悪性リンパ腫	C81-C85 C96	41.6	0.0	5.0	4.5	0.0	0.0	4.1	0.0	3.5	0.0	9.5	20.2	51.1	36.0	75.4	92.6	123.3	158.5	192.2	・
	多発性骨髄腫	C88-C90	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	5.8	6.4	3.3	8.7	23.7	27.4	5.1	38.4	・
	白血病	C91-C95	16.1	17.0	5.0	0.0	0.0	0.0	12.4	0.0	3.5	0.0	7.1	8.7	19.1	29.5	20.3	23.7	41.1	56.2	65.9	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	729.5	30.1	10.6	14.3	27.2	43.4	38.3	83.8	189.2	258.2	441.7	512.9	674.6	767.4	1,016.9	1,179.6	1,527.0	1,746.6	2,045.3	・
	口腔・咽頭	C00-C14	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	2.5	8.8	9.4	15.8	16.1	14.9	13.8	10.3	32.1	・
	食道	C15	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	22.0	15.8	8.0	17.1	19.3	37.7	22.9	・
	胃	C16	72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	9.3	15.0	14.7	22.0	47.4	93.7	153.6	168.4	212.8	265.7	・
	大腸（結腸・直腸）	C18-C20	120.6	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.8	12.4	34.9	41.3	65.9	88.4	165.9	192.0	325.8	343.1	432.9	・
	結腸	C18	87.8	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.8	6.2	15.0	20.6	28.2	60.0	115.1	151.5	226.4	257.4	345.8	・
	直腸	C19-C20	32.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	20.0	20.6	37.7	28.4	50.8	40.5	99.4	85.8	87.0	・
	肝および肝内胆管	C22	15.4	6.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.1	0.0	0.0	3.1	6.3	8.0	29.9	49.7	44.6	64.1	・
	胆のう・胆管	C23-C24	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.9	3.1	3.2	16.1	23.5	55.2	82.4	121.4	・
	膵臓	C25	40.4	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	3.1	7.5	2.9	9.4	44.2	24.1	72.5	99.4	168.1	146.6	・
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.4	0.0	0.0	0.0	・
	肺	C33-C34	67.8	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.8	0.0	10.0	32.4	37.7	69.5	83.0	136.5	165.7	185.3	231.3	・
	皮膚	C43-C44	20.1	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	2.9	9.4	18.9	13.4	21.3	49.7	61.8	103.1	・
	乳房	C50	146.6	0.0	0.0	0.0	0.0	0.0	4.8	17.6	56.8	127.5	232.1	179.8	219.6	224.2	254.2	238.9	201.6	243.6	167.2	・
	子宮	C53-C55	40.6	0.0	0.0	0.0	0.0	0.0	0.0	30.9	41.6	31.1	52.4	97.3	91.0	66.3	66.9	36.3	33.1	58.3	29.8	・
	子宮頸部	C53	10.9	0.0	0.0	0.0	0.0	0.0	0.0	13.2	18.9	9.3	15.0	20.6	22.0	12.6	10.7	17.1	8.3	13.7	9.2	・
	子宮体部	C54	29.1	0.0	0.0	0.0	0.0	0.0	0.0	17.6	22.7	21.8	37.4	73.7	69.0	53.7	56.2	19.2	24.9	44.6	16.0	・
	卵巣	C56	21.2	0.0	0.0	0.0	13.6	14.5	9.6	8.8	18.9	12.4	25.0	26.5	31.4	31.6	24.1	27.7	44.2	20.6	25.2	・
	膀胱	C67	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	8.8	9.4	0.0	2.7	17.1	24.9	20.6	68.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	10.0	23.6	15.7	12.6	21.4	38.4	52.5	61.8	89.3	・
	脳・中枢神経系	C70-C72	7.0	0.0	5.3	0.0	4.5	0.0	0.0	0.0	3.8	0.0	2.5	2.9	15.7	9.5	5.4	10.7	19.3	20.6	9.2	・
	甲状腺	C73	22.9	0.0	0.0	0.0	4.5	9.6	9.6	8.8	34.1	37.3	27.4	23.6	34.5	18.9	56.2	17.1	22.1	24.0	32.1	・
	悪性リンパ腫	C81-C85 C96	30.4	0.0	0.0	0.0	4.5	0.0	4.8	0.0	0.0	3.1	5.0	8.8	37.7	44.2	77.6	36.3	82.8	78.9	66.4	・
	多発性骨髄腫	C88-C90	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.9	3.1	9.5	10.7	12.8	16.6	17.2	18.3	・
	白血病	C91-C95	12.6	24.1	0.0	9.5	0.0	4.8	0.0	13.2	7.6	3.1	0.0	14.7	3.1	6.3	16.1	17.1	38.7	17.2	29.8	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	869.7	29.2	15.4	18.5	15.2	26.8	37.7	58.4	125.7	178.4	309.1	442.2	602.7	942.1	1,429.2	1,885.3	2,412.3	2,533.7	2,720.2	・
	口腔・咽頭	C00-C14	15.6	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	6.0	6.1	19.0	14.2	20.9	30.6	42.7	35.2	32.9	27.5	・
	食道	C15	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	17.4	25.7	40.4	62.9	73.4	65.7	42.0	・
	胃	C16	114.9	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.6	10.5	14.6	23.4	33.2	110.9	189.3	303.4	342.4	381.9	396.0	・
	大腸（結腸・直腸）	C18-C20	141.8	0.0	0.0	0.0	0.0	0.0	2.2	0.0	12.7	22.5	36.5	61.3	99.7	165.6	231.0	294.4	432.6	404.5	481.7	・
	結腸	C18	97.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	10.9	12.0	21.9	30.6	58.5	106.1	147.5	196.6	285.9	303.9	373.4	・
	直腸	C19-C20	44.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	10.5	14.6	30.6	41.1	59.5	83.5	97.7	146.8	100.6	108.3	・
	肝および肝内胆管	C22	27.9	2.9	2.6	0.0	0.0	0.0	0.0	0.0	1.8	3.0	2.4	7.3	4.7	25.7	41.7	64.0	97.8	88.3	103.4	・
	胆のう・胆管	C23-C24	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	5.8	6.3	11.3	18.1	38.2	74.9	106.8	129.3	・
	膵臓	C25	43.4	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	4.5	8.5	10.2	17.4	48.2	54.3	94.4	122.3	170.4	168.1	・
	喉頭	C32	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.5	0.0	1.6	4.2	12.4	19.9	14.4	8.1	・
	肺	C33-C34	112.7	0.0	0.0	0.0	0.0	0.0	2.2	2.1	3.6	4.5	14.6	35.0	55.4	104.5	182.3	289.9	366.9	336.7	371.7	・
	皮膚	C43-C44	20.4	0.0	0.0	0.0	0.0	4.5	2.2	0.0	1.8	1.5	2.4	5.8	11.1	16.1	23.7	22.5	61.1	63.6	121.2	・
	乳房	C50	75.9	0.0	0.0	0.0	0.0	0.0	2.2	8.3	27.3	61.5	113.2	89.0	112.3	115.7	133.6	127.0	113.1	145.8	118.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	23.6	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.8	0.0	2.4	11.7	11.1	11.3	37.6	44.9	67.3	69.8	118.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	31.2	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.8	6.0	12.2	17.5	20.6	35.4	50.1	65.2	78.0	92.4	113.1	・
	脳・中枢神経系	C70-C72	6.1	0.0	5.1	4.6	4.3	0.0	0.0	2.1	1.8	1.5	3.7	2.9	7.9	6.4	5.6	9.0	16.8	20.5	11.3	・
	甲状腺	C73	15.4	0.0	0.0	0.0	2.2	6.7	8.9	8.3	20.0	24.0	17.0	16.1	20.6	14.5	30.6	14.6	13.8	22.6	29.1	・
	悪性リンパ腫	C81-C85 C96	35.9	0.0	2.6	2.3	2.2	0.0	4.4	0.0	1.8	1.5	7.3	14.6	44.3	40.2	76.5	62.9	100.9	110.9	103.4	・
	多発性骨髄腫	C88-C90	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.4	4.7	6.4	9.7	18.0	21.4	12.3	24.2	・
	白血病	C91-C95	14.3	20.4	2.6	4.6	0.0	2.2	6.6	6.3	5.5	1.5	3.7	11.7	11.1	17.7	18.1	20.2	39.7	32.9	40.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計