

富山県栽培漁業センターにおける種苗生産実施状況

年度	ヒラメ				クロダイ				マダイ		クルマエビ				エゾアワビ				サザエ	
	放流用		中間育成 *1		放流用		中間育成 *1		中間育成 *1		放流用		中間育成 *1		放流用		中間育成 *2		放流用	
	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ
	千尾	mm	千尾	mm	千尾	mm	千尾	mm	千尾	mm	千尾	mm	千尾	mm	千個	mm	千個	mm	千個	mm
53	71.0	17.6	—	—	—	—	—	—	70.0	25.3	6,733.0	13.0	—	—	—	—	—	—	—	—
54	49.0	24.2	—	—	—	—	—	—	313.0	22.1	7,399.0	11.1	—	—	—	—	—	—	—	—
55	454.0	20.2	—	—	—	—	—	—	408.0	22.7	5,131.0	12.9	—	—	1.0	2～6	—	—	—	—
56	544.0	22.0	—	—	—	—	—	—	20.0	29.1	6,003.0	14.8	—	—	49.0	2～12	—	—	—	—
57	735.0	23.7	—	—	—	—	—	—	293.0	23.1	5,175.0	16.3	—	—	46.0	2～15	—	—	—	—
58	740.0	25.4	—	—	—	—	—	—	337.0	24.4	5,060.0	16.1	—	—	100.0	8～15	—	—	—	—
59	403.0	24.0	—	—	—	—	—	—	146.0	25.6	6,398.0	16.3	—	—	134.0	5～12	—	—	—	—
60	490.0	23.3	—	—	—	—	—	—	341.0	20.5	3,281.0	17.9	—	—	31.0	4～12	—	—	—	—
61	184.0	32.1	—	—	—	—	—	—	343.0	23.1	5,423.0	13.8	—	—	194.0	1～9	—	—	—	—
62	1,538.0	20.9	—	—	—	—	—	—	202.0	25.4	10,381.0	12.1	—	—	218.0	1～9	—	—	—	—
63	718.0	23.1	—	—	—	—	—	—	252.0	23.5	9,675.0	16.1	—	—	238.0	4～20	—	—	117.0	2～18
元	512.0	26.7	—	—	—	—	—	—	500.0	24.0	5,465.0	18.9	—	—	207.0	4～15	—	—	197.0	2～7
2	560.0	33.9	—	—	—	—	—	—	389.0	25.6	7,018.0	18.0	—	—	193.0	4～15	X	X	150.0	2～4
3	358.0	24.8	—	—	—	—	—	—	300.0	23.0	6,137.0	18.1	—	—	120.0	10～27	X	X	20.0	3～10
4	345.0	23.0	—	—	333.0	25.4	—	—	345.0	27.8	3,890.0	16.3	—	—	213.0	10～27	X	X	15.0	3～10
5	402.0	23.2	—	—	44.0	41.5	—	—	78.0	37.1	6,506.0	15.9	—	—	213.0	10～27	X	X	28.0	3～10
6	597.0	27.0	—	—	300.0	24.0	—	—	398.0	29.0	7,813.0	15.0	—	—	232.0	10～27	X	X	488.0	3.0
7	305.0	21.1	—	—	187.0	32.7	—	—	388.0	29.1	2,748.0	15.0	—	—	225.0	10.0	X	X	53.0	10.0
8	297.0	29.0	—	—	266.0	35.0	—	—	306.0	30.0	3,683.0	15.0	—	—	6.0	6～18	X	X	220.0	3.0
9	83.0	85.0	—	—	11.0	84.0	—	—	194.0	32.0	923.0	32.0	—	—	61.0	15～25	X	X	210.0	10.0
10	133.0	87.0	—	—	289.0	51.0	—	—	400.0	30.0	1,293.0	35.2	—	—	106.0	20.0	X	X	43.0	19.0
11	146.0	79.0	—	—	98.0	73.0	—	—	72.0	41.0	520.0	37.0	—	—	46.0	32.0	X	X	54.0	20.0
12	104.0	75.0	—	—	108.0	59.0	—	—	207.0	36.0	1,065.0	36.0	220.0	19.0	48.0	30.0	56.0	21.0	54.0	15.0
13	83.5	82.1	27.0	55.3	118.2	63.8	—	—	190.0	30.0	1,384.0	39.4	150.0	20.3	51.6	36.9	56.0	20.0	47.9	23.0
14	86.0	76.0	24.0	64.2	109.5	52.5	—	—	210.0	31.6	1,346.0	33.1	120.0	16.7	71.0	35.2	56.0	20.0	55.1	21.9
15	83.0	87.8	—	—	184.0	54.9	—	—	220.0	36.0	1,206.0	30.4	100.0	19.2	47.5	34.0	56.0	32.0	50.0	29.7
16	104.0	87.1	—	—	106.0	58.6	—	—	119.7	33.0	1,206.0	33.8	100.0	23.6	34.0	37.2	56.0	14.9	83.0	30.3
17	88.8	63.1	—	—	141.0	60.8	—	—	143.0	34.8	1,272.4	39.1	103.0	19.9	54.0	32.1	56.0	23.5	39.0	20.2
18	78.7	76.0	—	—	160.6	60.2	140.1	40.2	—	—	936.0	39.2	112.0	16.8	45.0	32.0	56.0	15.7	26.5	20.0
																			65.2	8.0
19	52.6	80.0	30.0	59.1	129.0	57.1	65.0	34.0	—	—	694.0	38.7	100.0	20.1	48.0	31.6	56.0	13.2	—	—
											27.7	75.8								
20	5.0	102.0	30.0	62.0	121.1	62.0	66.6	33.0	—	—	862.0	38.0	100.0	20.0	48.0	32.0	62.0	12.7	—	—
	5.0	78.0			5.0	76.0					28.7	73.0								
21	44.9	77.0	30.0	49.9	120.1	61.7	40.0	29.2	—	—	866.0	39.7	100.0	17.5	53.0	33.2	65.0	14.2	—	—
	10.0 *3	83.1					25.0	43.9												
22	29.5	78.0	30.0	55.2	116.3	56.2	41.6	29.8	—	—	793.0	42.2	50.0	23.4	57.0	28.8	72.0	12.9	—	—
	8.2 *3	65.3			12.0 *3	66.7	27.2	31.6												
23	71.0	42.2	36.0	48.2	112.7	57.8	65.0	30.1	—	—	820.0	37.0	100.0	27.5	46.7	30.6	74.5	15.0	—	—
	0.5	71.5			14.0 *3	59.8														
24	27.0	80.4	—	—	107.7	48.6	65.0	27.8	—	—	846.0	29.1	100.0	15.6	63.0	30.8	63.0	15.0	—	—
					13.0 *3	59.6														
25	—	—	—	—	99.2	50.7	75.0	29.5	—	—	1070.0	27.3	479.0	16.2	53.5	33.4	59.0	13.5	—	—
					12.0 *3	66.6														
26	—	—	—	—	100.7	51.5	2.0	59.6	—	—	1212.0	18.4	265.0	20.1	54.6	33.7	—	—	—	—
27	—	—	—	—	112.4	51.6	65.0	30.5	—	—	897.0	23.0	492.0	15.6	—	—	11.0	11.7	—	—
					12.0 *3	56.5														
28	—	—	—	—	103.7	52.6	65.0	28.7	—	—	600.0	33.5	913.0	16.5	—	—	—	—	—	—
					12.0 *3	54.5														
29	—	—	—	—	121.5	56.2	65.0	30.7	—	—	536.0	32.4	403.0	20.3	—	—	39.4	12.4	—	—
					12.0 *3	61.9														
30	—	—	—	—	119.5	61.3	40.0	36.3	—	—	621.0	28.7	368.0	17.3	—	—	16.8	12.3	—	—
					12.0 *3	66.6														
元	—	—	—	—	119.4	50.8	40.0	36.1	—	—	286.0	30.3	346.0	20.7	—	—	37.4	12.9	—	—
					13.0 *3	58.8														
2	—	—	—	—	121.1	59.5	10.0	57.0	—	—	264.0	31.9	326.0	16.9	—	—	10.3	15.6	—	—
					13.0 *3	61.4														
3	—	—	—	—	121.9	66.9	40.0	31.4	—	—	210.0	36.8	324.0	16.9	—	—	—	—	—	—
4	—	—	—	—	56.6	70.7	40.0	30.6	—	—	386.0	35.9	392.0	14.1	—	—	—	—	—	—
5	—	—	—	—	119.6	50.7	3.5	41.3	—	—	226.0	34.6	320.0	17.3	—	—	—	—	—	—
					2.0 *4	60.9														
6	—	—	—	—	123.5	53.8	3.0	38.3	—	—	166.0	31.0	5.0	27.7	—	—	—	—	—	—
					2.0 *4	66.4														

*1 漁協等が海上で実施する中間育成 *2 公社栽培漁業センターでの中間育成 *3 調査放流（標識放流）用 *4 県外への出荷

*マダイ・サザエの種苗生産はH18から休止している。

(公社)富山県農林水産公社栽培漁業センターの種苗生産実施状況

年度	放流用						養殖用					
	ヒラメ		クルマエビ		アワビ		ヒラメ		マダイ		アワビ	
	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ	生産量	サイズ
	千尾	mm	千尾	mm	千個	mm	千尾	mm	千尾	mm	千個	mm
62	294.0	30.7	1,560.0	15.3	—	—	56.0	107.2	3.0	107.7	—	—
63	272.0	22.0	4,500.0	13.4	—	—	34.0	130.0	13.0	103.0	—	—
元	434.0	25.4	3,050.0	15.0	—	—	74.0	112.0	35.0	84.3	—	—
2	408.0	35.9	3,500.0	18.3	—	—	66.0	110.6	29.0	95.2	—	—
3	448.0	27.1	3,000.0	15.0	23.5	31.9	42.0	125.0	—	—	—	—
4	600.0	21.9	2,031.0	19.9	51.8	35.0	23.0	133.0	14.0	83.0	—	—
5	476.0	20.5	3,941.0	14.2	50.2	39.3	30.0	120.0	5.0	102.0	—	—
6	412.0	28.2	3,332.0	15.9	60.0	34.2	30.0	80.0	—	—	—	—
7	646.0	22.6	2,655.0	14.5	53.0	32.4	3.0	93.3	—	—	—	—
8	510.0	23.0	3,285.0	15.0	50.3	30.0	—	—	—	—	—	—
9	583.0	23.0	2,521.0	15.0	50.3	32.0	—	—	—	—	—	—
10	170.0	52.0	563.0	34.8	50.3	30.0	—	—	—	—	—	—
	54.0	89.0										
11	130.0	84.0	900.0	36.0	52.0	35.0	—	—	—	—	—	—
			170.0	18.0								
12	156.0	81.0	340.0	34.0	50.0	39.0	—	—	—	—	—	—
13	155.0	85.0	—	—	49.4	40.0	—	—	—	—	—	—
14	83.5	103.0	—	—	45.5	35.0	—	—	—	—	10.0	36.0
15	40.0	86.6	—	—	54.0	38.1	—	—	—	—	1.0	46.1
16	181.4	96.0	—	—	64.0	38.1	13.3	44.4	—	—	—	—
17	161.2	92.5	—	—	56.0	33.2	24.0	71.0	—	—	—	—
18	130.4	83.0	—	—	45.0	32.0	30.0	62.8	—	—	—	—
	10.0*	140.3										
19	184.0	93.0	—	—	48.0	31.6	15.0	45.0	—	—	—	—
	10.0*	138.0										
20	186.4	94.0	—	—	45.0	33.0	15.0	57.5	—	—	—	—
	10.0*	130.0										
21	153.6	78.7	—	—	43.0	32.2	15.0	39.0	—	—	10.0	37.1
							15.0	92.8				
22	137.0	79.7	—	—	39.0	29.3	30.0	30.6	—	—	18.0	28.6
							11.0	83.6				
23	140.0	82.6	—	—	21.7	30.6	8.0	35.2	—	—	25.0	32.7
24	110.3	83.1	—	—	38.0	30.8	5.0	88.8	—	—	25.0	35.9
	30.0**	66.1										
25	130.1	69.6	—	—	53.5	31.7	—	—	—	—	—	—
	45.0**	64.2										
26	143.3	90.8	—	—	54.6	33.7	—	—	—	—	—	—
	30.0**	55.7										
27	278.3	88.1	—	—	12.7	31.3	—	—	—	—	—	—
	30.0**	59.2										
28	138.9	87.5	—	—	84.6	37.3	—	—	—	—	—	—
	20.0**	58.9										
29	126.3	73.1	—	—	83.2	34.7	—	—	—	—	—	—
	10.0**	50.3										
30	221.0	80.0	—	—	93.9	32.3	1.0	69.5	—	—	—	—
	20.0**	58.2										
元	220.0	85.3	—	—	76.8	32.0	1.0	79.0	—	—	—	—
	20.0**	65.8										
2	220.5	79.5	—	—	65.7	33.2	—	—	—	—	—	—
	20.0**	58.5										
3	244.4	83.7	—	—	104.2	32.8	—	—	—	—	—	—
	20.0**	58.5										
	80.0***	25.6	—	—	99.1	31.1	—	—	—	—	—	—
	244.4	96.6										
4	20.0**	68.7	—	—	85.2	33.3	—	—	—	—	—	—
	1.0***	114.2										
	220.0	89.3	—	—	85.0	30.8	—	—	—	—	—	—
	20.0**	61.7										
5	1.0***	106.1	—	—	1.6***	32.1	—	—	—	—	—	—
	220.0	85.9										
6	20.0**	64.0	—	—								
	21.2***	85.0										

* 調査放流（標識放流）用 **中間育成 ***県外出荷用

各地先におけるヒラメ種苗の放流状況

(単位：千尾)

年度	氷見市	高岡市	射水市	富山市	滑川市	魚津市	黒部市	入善町	朝日町	計
54	—	—	—	47.0	—	—	—	—	—	47.0
55	66.0	—	43.0	114.0	2.0	—	—	50.0	—	275.0
56	52.0	—	50.0	210.0	2.0	2.0	—	40.0	—	356.0
57	—	—	8.0	150.0	3.0	8.0	7.0	—	—	176.0
58	—	—	—	122.0	5.0	5.0	40.0	—	4.0	176.0
59	26.0	7.0	—	70.0	—	12.0	—	11.0	—	126.0
60	—	—	—	200.0	—	13.0	—	—	—	213.0
61	23.0	—	23.0	—	—	46.0	—	—	—	92.0
62	1,073.0	5.0	5.0	10.0	18.0	143.0	10.0	10.0	10.0	1,284.0
63	259.0	4.0	9.0	6.0	6.0	6.0	76.0	5.0	5.0	376.0
元	74.0	46.0	26.0	49.0	20.0	31.0	19.0	46.0	48.0	359.0
2	54.0	48.0	43.0	51.0	20.0	29.0	19.0	50.0	52.0	366.0
3	52.0	16.0	44.0	20.0	21.0	38.0	18.0	18.0	40.0	267.0
4	40.0	17.0	30.0	21.0	21.0	22.0	10.0	20.0	19.0	200.0
5	50.0	20.0	50.0	22.0	14.0	25.0	18.0	38.0	20.0	257.0
6	65.0	20.0	50.0	22.0	11.5	30.0	16.5	60.0	20.0	295.0
7	50.0	26.6	50.0	22.0	11.0	25.0	6.7	46.0	20.0	257.3
8	66.0	27.6	61.2	28.0	14.5	33.6	40.5	63.1	32.8	367.3
9	31.0	5.0	47.0	17.0	14.0	5.0	40.0	45.0	17.0	221.0
10	55.0	26.7	55.0	25.0	13.0	39.0	18.0	60.0	28.0	319.7
11	59.0	18.0	50.0	18.0	11.0	25.0	25.0	50.0	20.0	276.0
12	50.0	13.3	48.0	18.0	11.0	25.0	25.0	50.0	20.0	260.3
13	40.0	14.0	47.0	18.0	10.0	24.3	46.5	40.0	16.0	255.8 *2
14	32.5	9.0	26.0	11.5	8.5	26.1	31.0	31.0	12.5	188.1 *2
15	15.0	10.0	11.0	6.0	5.0	8.0	12.0	9.0	7.0	83.0
16	49.7	19.6	30.6	20.5	20.5	32.0	43.6	41.0	28.0	285.5
17	39.2	14.8	16.0	15.0	15.0	25.0	42.0	41.0	42.0	250.0
18	29.8	3.5	15.0	15.0	39.8	30.0	22.5	42.0 *1	21.5	219.1
19	36.8	6.6	—	23.6	35.4	33.6	37.6 *1	45.8 *1	27.4	246.8 *2
20	35.6 *1	5.1	18.0	20.1	22.8	37.4	33.5 *1	38.4	20.5	231.4 *2
21	42.5 *1	2.8	18.0	15.0	30.0	35.4 *2	31.0	38.4	21.3	234.4 *2
22	35.2 *1	2.5	19.0	15.0	17.0	31.1 *2	28.2	33.6	19.3	200.9 *2
23	23.0	4.5	19.0	15.0	12.0	21.0 *2	23.8	31.0	12.3	161.6 *2
24	22.5	4.5	18.0	17.0	12.0	27.0 *2	21.0	31.0	11.3	164.3 *2
25	20.8	4.2	12.0	15.0	10.0	40.8 *2	19.0	33.0	11.2	166.0 *2
26	23.0	4.0	14.0	16.0	12.0	25.0 *2	25.0	31.0	11.3	161.3 *2
27	47.0	12.5	35.7	28.4	33.9	41.4	37.4	40.8	22.3	299.4 *2
28	22.5	4.5	12.0	28.0 *2	11.0	12.6	25.0	29.0	11.3	155.9 *2
29	20.8	4.2	14.0	19.0 *2	10.0	8.0	23.0	27.0	9.3	135.3 *2
30	48.0	5.6	24.6	46.8 *2	14.0	13.4	31.6	36.8	14.2	235.0 *2
元	30.0	6.0	32.5	45.5 *2	14.5	23.5	33.0	38.0	15.0	238.0 *2
2	35.0	5.0	25.5	44.0 *2	25.0	17.5	33.5	39.0	15.0	239.5 *2
3	59.4	5.0	26.0	42.5 *2	14.5	29.0	33.0	38.0	15.0	262.4 *2
4	34.0	5.0	38.7	54.2 *2	17.0	19.0	42.5	37.5	14.5	262.4 *2
5	34.0	5.0	28.0	42.0 *2	17.0	18.0	32.0	47.0	15.0	238.0 *2
6	35.0	5.0	28.5	43.5 *2	17.0	18.0	33.0	39.0	9.0	228.0 *2

*1 調査用標識放流尾数を含んでいる。 *2 中間育成後の放流尾数を含んでいる。

各地先におけるクロダイ種苗放流の実施状況

(単位：千尾)

年度	氷見市	高岡市	射水市	富山市	滑川市	魚津市	黒部市	入善町	朝日町	計
4	70.0	—	—	—	—	—	253.0	—	—	323.0
5	13.0	—	—	—	—	10.0	10.0	—	—	33.0
6	60.0	—	—	—	40.0	60.0	20.0	25.0	—	205.0
7	68.0	—	—	—	—	15.0	13.0	6.0	9.0	111.0
8	74.0	—	—	—	—	—	10.0	11.0	—	95.0
9	11.0	—	—	—	—	—	—	—	—	11.0
10	115.0	—	18.0	19.0	10.0	18.0	38.0	45.0	17.0	280.0
11	50.0	10.0	5.0	—	—	10.0	10.0	13.2	—	98.2
12	50.0	—	5.0	—	—	10.0	20.0	13.2	10.0	108.2
13	86.6	—	5.0	10.0	—	10.0	10.0	13.2	10.0	144.8
14	60.0	10.0	5.0	—	4.5	10.0	10.0	—	10.0	109.5
15	86.0	3.4	21.0	13.3	9.0	10.0	23.3	3.0	15.0	184.0
16	64.0	2.0	8.0	—	—	10.0	12.0	—	10.0	106.0
17	77.0	3.0	8.0	—	—	10.0	18.0	5.0	20.0	141.0
18	82.8	—	27.6	28.0	—	91.0	28.3	5.3	16.6	279.6 *
19	59.1	8.9	14.6	32.0	3.0	33.7	12.8	6.0	12.2	182.3 *
20	54.6	10.4	13.0	32.0	—	32.9	18.1	5.9	12.3	179.2 *
21	59.0	10.4	15.0	31.0	—	16.7	12.0	—	12.0	156.1 *
22	67.1	10.9	15.1	33.0	—	25.5	11.5	—	12.0	175.1 *
23	69.0	10.0	14.0	32.0	—	31.7	10.0	—	12.0	162.7 *
24	76.2	10.8	10.0	33.0	—	32.2	8.0	—	5.0	175.2 *
25	67.1	10.4	10.0	32.0	—	41.2	8.0	—	5.0	173.7 *
26	57.0	11.0	10.0	2.0	—	9.7	8.0	—	5.0	102.7 *
27	69.2	10.8	10.0	41.7	—	24.7	8.0	—	5.0	169.4 *
28	69.2	10.8	6.0	38.0	5.0	22.2	8.0	—	5.0	164.2 *
29	72.1	11.4	11.8	37.3	8.3	26.6	9.3	—	—	176.8 *
30	77.2	10.8	8.5	38.0	5.0	20.0	8.0	—	—	167.5 *
元	81.0	5.0	8.6	48.3	5.0	12.5	8.0	—	—	168.4 *
2	79.0	10.5	9.0	18.1	5.0	10.0	12.0	—	—	143.6 *
3	66.0	10.5	9.0	49.4	5.0	10.0	12.0	—	—	161.9 *
4	25.7	4.1	7.2	40.8	2.8	5.3	6.7	—	—	92.6 *
5	60.0	4.5	12.5	20.3	6.5	7.0	12.0	—	—	122.8 *
6	55.0	23.5	11.5	12.7	4.5	8.5	10.0	0.5	—	126.2 *

* 中間育成後の放流および（社）富山県農林水産公社による調査放流を含んでいる。

各地先におけるアワビ種苗放流の実施状況

(単位：千個)

年度	氷見市	高岡市	射水市	富山市	滑川市	魚津市	黒部市	入善町	朝日町	計
55	3.3	—	—	—	1.1	1.6	—	—	—	6.0
56	9.2	—	—	—	8.4	2.2	—	—	—	19.8
57	—	—	—	—	—	—	—	—	—	0.0
58	1.0	10.0	—	—	14.0	10.0	—	—	—	35.0
59	5.0	10.0	—	—	15.0	13.0	—	—	—	43.0
60	16.0	13.3	—	—	15.0	30.0	—	—	—	74.3
61	12.0	12.3	—	—	15.0	34.0	—	—	3.4	76.7
62	7.4	1.0	—	—	7.6	17.1	—	—	2.9	36.0
63	3.6	4.6	—	—	5.1	11.9	—	—	2.3	27.5
元	12.5	13.0	—	—	13.3	27.6	—	4.5	4.5	75.4
2	14.6	24.0	—	—	27.0	61.2	—	12.0	6.0	144.8
3	10.0	10.0	—	—	11.3	45.0	—	5.0	5.0	86.3
4	15.0	—	—	—	13.3	39.0	—	40.0	5.0	112.3
5	—	—	—	—	15.0	45.0	—	12.5	6.0	78.5
6	—	—	—	—	15.0	45.0	—	12.5	7.0	79.5
7	—	—	—	—	15.0	52.5	—	—	13.5	81.0
8	—	—	—	—	15.0	50.0	—	12.5	13.0	90.5
9	—	—	—	—	16.5	50.0	—	12.5	13.0	92.0
10	—	—	—	—	23.0	48.0	—	18.0	15.0	104.0
11	—	—	—	—	26.0	46.0	—	12.5	13.0	97.5
12	—	—	—	—	27.0	46.0	—	12.5	12.0	97.5
13	—	—	—	—	27.1	49.4	—	12.1	12.4	101.0
14	—	—	—	—	32.0	50.0	—	13.0	14.0	109.0
15	—	—	—	—	30.0	47.0	—	12.5	13.0	102.5
16	—	—	—	1.0	22.5	46.0	—	12.5	16.0	98.0
17	—	—	—	2.0	30.0	43.5	—	12.5	22.0	110.0
18	—	—	—	2.0	29.0	33.0	—	9.0	17.0	90.0
19	—	—	—	2.0	30.0	40.0	—	10.0	14.0	96.0
20	—	—	—	2.0	30.0	38.0	—	9.0	14.0	93.0
21	—	—	—	2.0	30.0	40.0	—	10.0	14.0	96.0
22	—	—	—	2.0	30.0	40.0	—	10.0	14.0	96.0
23	—	—	—	1.4	21.4	28.5	—	7.1	10.0	68.4
24	—	—	—	2.0	30.0	40.0	—	11.0	18.0	101.0
25	—	—	2.0	2.0	30.0	40.0	—	11.0	27.0	112.0
26	—	—	3.0	2.0	30.0	39.2	2.0	11.0	22.0	109.2
27	—	—	0.3	1.0	3.0	4.0	0.2	2.0	2.2	12.7
28	—	—	2.3	2.0	25.3 *	10.0	3.0	20.0	22.0	84.6 *
29	—	—	—	3.0	25.2 *	10.0	3.0	20.0	22.0	83.2 *
30	—	—	1.0	5.1	25.3 *	14.0	3.0	20.0	13.0	81.4 *
元	—	—	1.0	4.6	25.2 *	10.0	3.0	20.0	13.0	76.8 *
2	—	—	6.0	4.5	25.2 *	10.0	7.0	—	13.0	65.7 *
3	—	—	6.1	6.0	25.2 *	10.0	7.0	25.0	24.9	104.2 *
4	—	—	5.5	6.4	25.2 *	10.0	7.0	20.0	25.0	99.1 *
5	—	—	5.5	4.5	25.2 *	10.0	7.0	20.0	13.0	85.2 *
6	—	—	5.5	4.5	25.0	10.0	7.0	20.0	13.0	85.0

*調査用等の放流を含む

各地先におけるクルマエビ種苗放流の実施状況

(単位：千尾)

年度	氷見市	高岡市	射水市	富山市	滑川市	魚津市	黒部市	入善町	朝日町	計
50	89.0	150.0	115.0	150.0	115.0	138.0	40.0	45.0	25.0	867.0
53	711.0	603.0	520.0	1,371.0	597.0	930.0	350.0	650.0	300.0	6,032.0
54	1,574.0	465.0	550.0	161.0	363.0	842.0	213.0	635.0	477.0	5,280.0
55	725.0	418.0	358.0	419.0	495.0	1,080.0	266.0	502.0	291.0	4,554.0
56	1,233.0	413.0	742.0	361.0	636.0	718.0	312.0	453.0	484.0	5,352.0
57	1,932.0	271.0	192.0	193.0	606.0	397.0	242.0	720.0	333.0	4,886.0
58	1,130.0	226.0	245.0	382.0	678.0	392.0	366.0	680.0	205.0	4,304.0
59	1,155.0	469.0	633.0	855.0	638.0	808.0	340.0	893.0	344.0	6,135.0
60	364.0	447.0	216.0	176.0	551.0	303.0	226.0	790.0	96.0	3,169.0
61	656.0	545.0	228.0	612.0	577.0	739.0	305.0	929.0	302.0	4,893.0
62	1,126.0	1,092.0	1,468.0	721.0	1,497.0	1,114.0	1,224.0	1,699.0	892.0	10,833.0
63	2,851.0	716.0	805.0	1,335.0	1,311.0	1,303.0	1,153.0	1,548.0	156.0	11,178.0
元	695.0	482.0	720.0	398.0	822.0	980.0	833.0	1,195.0	116.0	6,241.0
2	1,274.0	773.0	1,623.0	684.0	1,075.0	1,149.0	1,150.0	1,335.0	222.0	9,285.0
3	956.0	679.0	859.0	571.0	1,022.0	1,119.0	538.0	973.0	187.0	6,904.0
4	870.0	538.0	697.0	767.0	813.0	888.0	706.0	524.0	176.0	5,979.0
5	1,270.0	1,066.0	1,043.0	786.0	1,207.0	1,422.0	1,050.0	837.0	236.0	8,917.0
6	1,445.0	789.0	1,040.0	946.0	1,189.0	1,408.0	1,027.0	654.0	244.0	8,742.0
7	431.0	523.0	708.0	469.0	560.0	83.0	235.0	—	—	3,009.0
8	701.0	994.0	789.0	1,389.0	855.0	1,045.0	401.0	—	—	6,174.0
9	274.0	270.0	267.0	369.0	365.0	220.0	—	—	—	1,765.0
10	302.0	242.0	195.0	397.0	258.0	305.0	—	—	—	1,699.0
11	154.0	266.0	245.0	370.0	120.0	276.0	—	—	—	1,431.0
12	238.0	266.6	200.0	360.0	100.0	240.0	—	—	—	1,404.6
13	238.0	266.0	245.0	400.0	80.0	240.0	—	—	—	1,469.0
14	220.0	266.0	228.0	390.0	60.0	240.0	—	—	—	1,404.0
15	220.0	266.0	200.0	300.0	40.0	240.0	—	—	—	1,266.0
16	220.0	266.0	200.0	300.0	40.0	240.0	—	—	—	1,266.0
17	340.0	188.3	—	742.1 *	32.0	—	—	—	—	1,302.4
18	222.0	143.0	—	566.0 *	—	65.0	—	—	—	996.0
19	270.0	74.0	—	337.7 *	42.0	38.0	—	—	—	761.7
20	387.0	130.0	—	317.7 *	49.0	47.0	—	—	—	930.7
21	284.0	37.0	221.0	284.0 *	40.0	40.0	—	—	—	906.0
22	258.0	33.0	170.0	260.0 *	48.0	44.0	—	—	—	813.0
23	231.0	40.0	189.0	326.0 *	51.0	53.0	—	—	—	890.0
24	275.8	55.2	162.0	319.0 *	52.0	52.0	—	—	—	916.0
25	0.0	0.0	0.0	0.0 *	0.0	0.0	—	—	—	0.0
26	628.0	17.0	322.0	168.0 *	93.0	94.0	—	—	—	1,322.0
27	642.0	104.0	274.0	155.0 *	69.0	45.0	—	—	—	1,289.0
28	515.0 *	43.0	119.0	120.0 *	65.0	48.0	—	—	—	910.0
29	564.2 *	52.8	—	168.0 *	60.0	42.0	—	—	—	887.0
30	631.0 *	65.0	—	187.0 *	64.0	42.0	—	—	—	989.0
元	420.0 *	—	—	76.6 *	60.0	41.0	—	—	—	597.6
2	415.0 *	—	10 *	58.0 *	66.0	42.0	—	—	—	591.0
3	418.0 *	—	10.0 *	46.0 *	—	42.0	—	—	—	516.0
4	605.0 *	10.0 *	61.0	44.0 *	—	41.0	—	—	—	761.0
5	410.0 *	—	53.0	35.0 *	—	43.0	—	—	—	541.0
6	83.0	—	42.0	10.0 *	—	33.0	—	—	—	168.0

* 中間育成後の放流および(社)富山県農林水産公社による調査放流を含んでいる。

各地先におけるマダイ種苗の放流状況

(単位：千尾)

年度	氷見市	高岡市	射水市	富山市	滑川市	魚津市	黒部市	入善町	朝日町	計
54	8.0	—	30.0	14.0	—	8.0	8.0	—	8.0	76.0
55	165.0	—	7.0	15.0	13.0	—	—	14.0	—	214.0
56	20.0	—	—	—	—	3.0	—	—	—	23.0
57	92.0	—	—	—	—	—	—	—	—	92.0
58	237.0	—	—	1.0	—	—	—	—	—	238.0
59	60.0	—	—	40.0	—	11.0	—	—	—	111.0
60	118.0	—	—	—	33.0	45.0	—	—	—	196.0
61	108.0	—	25.0	15.0	30.0	20.0	7.0	6.0	—	211.0
62	120.0	—	—	6.0	6.0	34.0	6.0	6.0	—	178.0
63	118.0	—	—	1.0	—	18.0	—	—	—	137.0
元	150.0	—	—	1.0	—	53.0	—	—	—	204.0
2	152.0	—	—	—	—	34.0	—	—	—	186.0
3	249.0	—	—	—	—	39.0	—	—	—	288.0
4	213.0	—	—	—	—	80.0	—	—	—	293.0
5	10.0	—	—	—	—	36.0	—	—	—	46.0
6	296.0	—	—	—	—	72.0	—	—	—	368.0
7	286.0	—	—	—	—	60.0	—	—	—	346.0
8	36.0	—	60.0	—	—	60.0	60.0	—	—	216.0
9	4.0	—	54.0	—	—	45.0	45.0	—	—	148.0
10	200.0	—	82.0	—	—	60.0	—	—	—	342.0
11	10.0	—	26.0	—	—	26.0	—	—	—	62.0
12	—	—	100.0	—	—	107.0	—	—	—	207.0
13	—	—	60.0	—	—	130.0	—	—	—	190.0
14	—	—	60.0	—	—	150.0	—	—	—	210.0
15	—	—	60.0	30.0	—	82.0	—	—	—	172.0
16	—	—	18.4	18.6	—	45.4	—	—	—	82.4
17	—	—	45.0	30.0	—	41.2	—	—	—	116.2

*1 マダイは漁業者等により海上で中間育成された後に放流されている。

*2 18年度からは種苗生産・放流を休止している。

各地先におけるサザエ種苗放流の実施状況

(単位：千個)

年度	氷見市	高岡市	射水市	富山市	滑川市	魚津市	黒部市	入善町	朝日町	計
元	8.0	—	—	—	—	19.0	—	—	—	27.0
2	1.0	—	—	—	—	1.7	—	—	—	2.7
3	13.0	—	—	—	3.8	—	—	3.0	—	19.8
4	12.0	—	—	—	—	—	—	—	—	12.0
5	—	—	—	—	—	—	—	—	—	0.0
6	—	—	—	—	—	—	—	—	—	0.0
7	—	—	—	—	—	—	—	—	—	0.0
8	—	—	—	—	—	—	—	—	—	0.0
9	—	—	—	—	20.0	—	—	30.0	—	50.0
10	—	—	—	—	20.0	—	—	23.0	—	43.0
11	—	—	—	—	20.0	—	—	33.3	—	53.3
12	—	—	—	—	20.0	—	—	33.3	—	53.3
13	—	—	—	—	17.0	—	—	25.9	5.0	47.9
14	25.1	—	—	—	20.0	—	—	—	10.0	55.1
15	20.0	—	—	—	20.0	—	—	—	10.0	50.0
16	30.0	—	—	—	40.0	—	—	—	13.0	83.0
17	4.0	—	—	2.0	20.0	—	—	—	13.0	39.0
18	36.1	—	—	4.0	31.3	—	—	—	20.3	91.7 *

* 19年度放流予定群を併せて放流し、種苗生産はH18から休止している。