

新 旧 対 照 表

【治山・林道事業標準歩掛表（富山県版）】

（共通事項・治山事業・林道事業・作業日当たり標準作業量）

改 正 後		現 行		備 考																																																													
共 通 事 項		共 通 事 項																																																															
1－1 仮設費関係		1－1 仮設費関係																																																															
1－1－1 除雪費		1－1－1 除雪費																																																															
1. ～2. 【省略】		1. ～2. 【省略】																																																															
3. 雪量強度区分		3. 雪量強度区分																																																															
(1) 工事現場内の場合		(1) 工事現場内の場合																																																															
<table><tr><th rowspan="2">区分</th><th rowspan="2">一冬期間内の累計降雪量</th><th colspan="4">12 月～3 月の標準的な降雪率（％）</th></tr><tr><th>12 月</th><th>1 月</th><th>2 月</th><th>3 月</th></tr><tr><td>A</td><td>1,000 cm以上</td><td>18</td><td>40</td><td>29</td><td>13</td></tr><tr><td>B</td><td>500 cm以上～1,000 cm未満</td><td>18</td><td>42</td><td>29</td><td>11</td></tr><tr><td>C</td><td>300 cm以上～500 cm未満</td><td>19</td><td>41</td><td>30</td><td>10</td></tr><tr><td>D</td><td>300 cm未満</td><td>15</td><td>45</td><td>33</td><td>7</td></tr></table>		区分	一冬期間内の累計降雪量	12 月～3 月の標準的な降雪率（％）				12 月	1 月	2 月	3 月	A	1,000 cm以上	18	40	29	13	B	500 cm以上～1,000 cm未満	18	42	29	11	C	300 cm以上～500 cm未満	19	41	30	10	D	300 cm未満	15	45	33	7	<table><tr><th rowspan="2">区分</th><th rowspan="2">一冬期間内の累計降雪量</th><th colspan="4">12 月～3 月の標準的な降雪率（％）</th></tr><tr><th>12 月</th><th>1 月</th><th>2 月</th><th>3 月</th></tr><tr><td>A</td><td>1,000 cm以上</td><td rowspan="3">15</td><td rowspan="3">45</td><td rowspan="3">30</td><td rowspan="3">10</td></tr><tr><td>B</td><td>500 cm以上～1,000 cm未満</td></tr><tr><td>C</td><td>300 cm以上～500 cm未満</td></tr><tr><td>D</td><td>300 cm未満</td><td>10</td><td>40</td><td>40</td><td>10</td></tr></table>		区分	一冬期間内の累計降雪量	12 月～3 月の標準的な降雪率（％）				12 月	1 月	2 月	3 月	A	1,000 cm以上	15	45	30	10	B	500 cm以上～1,000 cm未満	C	300 cm以上～500 cm未満	D	300 cm未満	10	40	40	10		
区分	一冬期間内の累計降雪量			12 月～3 月の標準的な降雪率（％）																																																													
		12 月	1 月	2 月	3 月																																																												
A	1,000 cm以上	18	40	29	13																																																												
B	500 cm以上～1,000 cm未満	18	42	29	11																																																												
C	300 cm以上～500 cm未満	19	41	30	10																																																												
D	300 cm未満	15	45	33	7																																																												
区分	一冬期間内の累計降雪量	12 月～3 月の標準的な降雪率（％）																																																															
		12 月	1 月	2 月	3 月																																																												
A	1,000 cm以上	15	45	30	10																																																												
B	500 cm以上～1,000 cm未満																																																																
C	300 cm以上～500 cm未満																																																																
D	300 cm未満	10	40	40	10																																																												
(2) 運搬路の場合		(2) 運搬路の場合																																																															
<table><tr><th rowspan="2">区分</th><th rowspan="2">一冬期間内の累計降雪量</th><th colspan="4">12 月～3 月の 10 cm以上の降雪率（％）</th></tr><tr><th>12 月</th><th>1 月</th><th>2 月</th><th>3 月</th></tr><tr><td>A</td><td>1,000 cm以上</td><td>16</td><td>55</td><td>24</td><td>5</td></tr><tr><td>B</td><td>500 cm以上～1,000 cm未満</td><td>16</td><td>59</td><td>24</td><td>1</td></tr><tr><td>C</td><td>300 cm以上～500 cm未満</td><td>15</td><td>55</td><td>30</td><td>0</td></tr><tr><td>D</td><td>300 cm未満</td><td>5</td><td>43</td><td>52</td><td>0</td></tr></table>		区分	一冬期間内の累計降雪量	12 月～3 月の 10 cm以上の降雪率（％）				12 月	1 月	2 月	3 月	A	1,000 cm以上	16	55	24	5	B	500 cm以上～1,000 cm未満	16	59	24	1	C	300 cm以上～500 cm未満	15	55	30	0	D	300 cm未満	5	43	52	0	<table><tr><th rowspan="2">区分</th><th rowspan="2">一冬期間内の累計降雪量</th><th colspan="4">12 月～3 月の 10 cm以上の降雪回数（％）</th></tr><tr><th>12 月</th><th>1 月</th><th>2 月</th><th>3 月</th></tr><tr><td>A</td><td>1,000 cm以上</td><td rowspan="3">15</td><td rowspan="3">45</td><td rowspan="3">35</td><td rowspan="3">5</td></tr><tr><td>B</td><td>500 cm以上～1,000 cm未満</td></tr><tr><td>C</td><td>300 cm以上～500 cm未満</td></tr><tr><td>D</td><td>300 cm未満</td><td>10</td><td>45</td><td>45</td><td>10</td></tr></table>		区分	一冬期間内の累計降雪量	12 月～3 月の 10 cm以上の降雪回数（％）				12 月	1 月	2 月	3 月	A	1,000 cm以上	15	45	35	5	B	500 cm以上～1,000 cm未満	C	300 cm以上～500 cm未満	D	300 cm未満	10	45	45	10		
区分	一冬期間内の累計降雪量			12 月～3 月の 10 cm以上の降雪率（％）																																																													
		12 月	1 月	2 月	3 月																																																												
A	1,000 cm以上	16	55	24	5																																																												
B	500 cm以上～1,000 cm未満	16	59	24	1																																																												
C	300 cm以上～500 cm未満	15	55	30	0																																																												
D	300 cm未満	5	43	52	0																																																												
区分	一冬期間内の累計降雪量	12 月～3 月の 10 cm以上の降雪回数（％）																																																															
		12 月	1 月	2 月	3 月																																																												
A	1,000 cm以上	15	45	35	5																																																												
B	500 cm以上～1,000 cm未満																																																																
C	300 cm以上～500 cm未満																																																																
D	300 cm未満	10	45	45	10																																																												
4. 除雪費の積算		4. 除雪費の積算																																																															
除雪費＝歩掛×Σ（各月の補正係数×各月の除雪面積）		除雪費＝歩掛×Σ（各月の補正係数×各月の除雪面積）																																																															
工事現場内（人力）除雪は表 1.1		工事現場内（人力）除雪は表 1.1																																																															
歩掛： による。		歩掛： による。																																																															
運搬路（ブルドーザ）除雪は表 1.2		運搬路（ブルドーザ）除雪は表 1.2																																																															
各月の補正係数は表 1.3 による。		各月の補正係数は表 1.3 による。																																																															
除雪費は、仮設費に計上するものとする。		除雪費は、仮設費に計上するものとする。																																																															
表 1.1～表 1.2 【省略】		表 1.1～表 1.2 【省略】																																																															
表 1.3 各月の補正係数		表 1.3 各月の補正係数																																																															
<table><tr><th>月</th><th>1 2月</th><th>1 月</th><th>2 月</th><th>3 月</th><th>摘 要</th></tr><tr><td>補 正 係 数</td><td>0.61</td><td>1.90</td><td>1.26</td><td>0.23</td><td></td></tr></table>		月	1 2月	1 月	2 月	3 月	摘 要	補 正 係 数	0.61	1.90	1.26	0.23		<table><tr><th>月</th><th>1 2月</th><th>1 月</th><th>2 月</th><th>3 月</th><th>摘 要</th></tr><tr><td>補 正 係 数</td><td>0.60</td><td>1.90</td><td>1.26</td><td>0.24</td><td></td></tr></table>		月	1 2月	1 月	2 月	3 月	摘 要	補 正 係 数	0.60	1.90	1.26	0.24																																							
月	1 2月	1 月	2 月	3 月	摘 要																																																												
補 正 係 数	0.61	1.90	1.26	0.23																																																													
月	1 2月	1 月	2 月	3 月	摘 要																																																												
補 正 係 数	0.60	1.90	1.26	0.24																																																													
(参考資料) 【省略】		(参考資料) 【省略】		富山県土木部設計積算資料による																																																													

新 旧 対 照 表 【治山・林道事業標準歩掛表（富山県版）】 共通事項・治山事業・林道事業・作業日当たり標準作業量

改 正 後				現 行				備 考																																							
1－1－2～1－1－3 【省略】				1－1－2～1－1－3 【省略】				誤記修正																																							
1－2～1－3 【省略】				1－2～1－3 【省略】																																											
1－4 構造物関係				1－4 構造物関係																																											
1－4－1 丸太柵工（S 6 1 1 0）（令和 3 年 7 月 15 日付 森政第 402 号 改正） 丸太柵工歩掛（4 段、柵高 48 cm）（10mあたり）				1－4－1 丸太柵工（S 6 1 1 0）（令和 3 年 7 月 15 日付 森政第 402 号 改正） 丸太柵工歩掛（4 段、柵高 48 cm）（10mあたり）																																											
<table><tr><th>名 称</th><th>数 量</th><th>単位</th><th>摘 要</th></tr><tr><td>杭 木</td><td>10.0</td><td>本</td><td>φ 10cm L=1.50m</td></tr><tr><td>横 丸 太</td><td>20.0</td><td>本</td><td>φ 12cm L=2.00m</td></tr><tr><td>結 束 線</td><td>2.40</td><td>kg</td><td>なまし鉄線 #12(2.6mm)</td></tr><tr><td>普通作業員</td><td>1.07</td><td>人</td><td></td></tr></table>				名 称	数 量	単位	摘 要			杭 木	10.0	本	φ 10cm L=1.50m	横 丸 太	20.0	本	φ 12cm L=2.00m	結 束 線	2.40	kg	なまし鉄線 #12(2.6mm)	普通作業員	1.07	人		<table><tr><th>名 称</th><th>数 量</th><th>単位</th><th>摘 要</th></tr><tr><td>杭 木</td><td>10.0</td><td>本</td><td>φ 10cm L=1.50m</td></tr><tr><td>横 丸 太</td><td>25.0</td><td>本</td><td>φ 12cm L=2.00m</td></tr><tr><td>結 束 線</td><td>2.40</td><td>kg</td><td>なまし鉄線 #12(2.6mm)</td></tr><tr><td>普通作業員</td><td>1.07</td><td>人</td><td></td></tr></table>				名 称	数 量	単位	摘 要	杭 木	10.0	本	φ 10cm L=1.50m	横 丸 太	25.0	本	φ 12cm L=2.00m	結 束 線	2.40	kg	なまし鉄線 #12(2.6mm)	普通作業員	1.07
名 称	数 量	単位	摘 要																																												
杭 木	10.0	本	φ 10cm L=1.50m																																												
横 丸 太	20.0	本	φ 12cm L=2.00m																																												
結 束 線	2.40	kg	なまし鉄線 #12(2.6mm)																																												
普通作業員	1.07	人																																													
名 称	数 量	単位	摘 要																																												
杭 木	10.0	本	φ 10cm L=1.50m																																												
横 丸 太	25.0	本	φ 12cm L=2.00m																																												
結 束 線	2.40	kg	なまし鉄線 #12(2.6mm)																																												
普通作業員	1.07	人																																													
(注) 1. ～ 2. 【省略】				(注) 1. ～ 2. 【省略】																																											
1－4－2～1－4－10 【省略】				1－4－2～1－4－10 【省略】																																											
1－5 【省略】				1－5 【省略】																																											

新 旧 対 照 表 【治山・林道事業標準歩掛表（富山県版）】 （共通事項・治山事業・林道事業・作業日当たり標準作業量）

改 正 後	現 行	備 考																																																
治 山 事 業 2－1 土工関係 2－1－1 タンパによる土砂の締固め（S 5 7 2 0） 1. 【省略】 2. 機械運転単価表 <table><tr><th>名 称</th><th>規 格</th><th>適用単価表</th><th>摘 要</th></tr><tr><td>タ ン パ</td><td>60～80kg</td><td>機－31</td><td>運転労務数量 → 1.0 燃料消費量 → <u>6.0</u> 機械賃料数量 → 1.38 主燃料 → ガソリン 運転時間 → 5 h／日</td></tr></table> 2－1－2 小型バックホウ掘削（山地治山）治山土工（S 5 7 2 2） 1. 土工歩掛 1）1時間あたり土工量（V s） 2）1サイクルの所要時間（C m） 3）作業効率（E） 治山林道必携（設計・積算編） 治山 1－1－4 機械別土工歩掛 （2）ショベル系掘削歩掛（平成 27 年版）を引用している。 4）1サイクルあたり掘削積込量（q） <table><tr><th>機 種</th><th>q o（m3）</th><th>q（m3）</th></tr><tr><td rowspan="6">バックホウ</td><td>0.015</td><td>0.015</td></tr><tr><td><u>【削除】</u></td><td><u>【削除】</u></td></tr><tr><td><u>【削除】</u></td><td><u>【削除】</u></td></tr><tr><td>0.06</td><td>0.06</td></tr><tr><td>0.08</td><td>0.08</td></tr><tr><td>0.10</td><td>0.10</td></tr></table> 5）運転時間 小型バックホウの運転日あたり標準運転時間（T）は、5.6 時間／日、供用日あたり標準運転時間（t）は、3.9 時間／日とする。 2－2～2－7 【省略】	名 称	規 格	適用単価表	摘 要	タ ン パ	60～80kg	機－31	運転労務数量 → 1.0 燃料消費量 → <u>6.0</u> 機械賃料数量 → 1.38 主燃料 → ガソリン 運転時間 → 5 h／日	機 種	q o（m3）	q（m3）	バックホウ	0.015	0.015	<u>【削除】</u>	<u>【削除】</u>	<u>【削除】</u>	<u>【削除】</u>	0.06	0.06	0.08	0.08	0.10	0.10	治 山 事 業 2－1 土工関係 2－1－1 タンパによる土砂の締固め（S 5 7 2 0） 1. 【省略】 2. 機械運転単価表 <table><tr><th>名 称</th><th>規 格</th><th>適用単価表</th><th>摘 要</th></tr><tr><td>タ ン パ</td><td>60～80kg</td><td>機－31</td><td>運転労務数量 → 1.0 燃料消費量 → <u>5.2</u> 機械賃料数量 → 1.38 主燃料 → ガソリン 運転時間 → 5 h／日</td></tr></table> 2－1－2 小型バックホウ掘削（山地治山）治山土工（S 5 7 2 2） 1. 土工歩掛 1）1時間あたり土工量（V s） 2）1サイクルの所要時間（C m） 3）作業効率（E） 治山林道必携（設計・積算編） 治山 1－1－4 機械別土工歩掛 （2）ショベル系掘削歩掛（平成 27 年版）を引用している。 4）1サイクルあたり掘削積込量（q） <table><tr><th>機 種</th><th>q o（m3）</th><th>q（m3）</th></tr><tr><td rowspan="6">バックホウ</td><td>0.015</td><td>0.015</td></tr><tr><td><u>0.03</u></td><td><u>0.03</u></td></tr><tr><td><u>0.04</u></td><td><u>0.04</u></td></tr><tr><td>0.06</td><td>0.06</td></tr><tr><td>0.08</td><td>0.08</td></tr><tr><td>0.10</td><td>0.10</td></tr></table> 5）運転時間 小型バックホウの運転日あたり標準運転時間（T）は、5.6 時間／日、供用日あたり標準運転時間（t）は、3.9 時間／日とする。 2－2～2－7 【省略】	名 称	規 格	適用単価表	摘 要	タ ン パ	60～80kg	機－31	運転労務数量 → 1.0 燃料消費量 → <u>5.2</u> 機械賃料数量 → 1.38 主燃料 → ガソリン 運転時間 → 5 h／日	機 種	q o（m3）	q（m3）	バックホウ	0.015	0.015	<u>0.03</u>	<u>0.03</u>	<u>0.04</u>	<u>0.04</u>	0.06	0.06	0.08	0.08	0.10	0.10	治山林道必携の 改正による 治山林道必携 （建設機械損料 算定表）の改正 による
名 称	規 格	適用単価表	摘 要																																															
タ ン パ	60～80kg	機－31	運転労務数量 → 1.0 燃料消費量 → <u>6.0</u> 機械賃料数量 → 1.38 主燃料 → ガソリン 運転時間 → 5 h／日																																															
機 種	q o（m3）	q（m3）																																																
バックホウ	0.015	0.015																																																
	<u>【削除】</u>	<u>【削除】</u>																																																
	<u>【削除】</u>	<u>【削除】</u>																																																
	0.06	0.06																																																
	0.08	0.08																																																
	0.10	0.10																																																
名 称	規 格	適用単価表	摘 要																																															
タ ン パ	60～80kg	機－31	運転労務数量 → 1.0 燃料消費量 → <u>5.2</u> 機械賃料数量 → 1.38 主燃料 → ガソリン 運転時間 → 5 h／日																																															
機 種	q o（m3）	q（m3）																																																
バックホウ	0.015	0.015																																																
	<u>0.03</u>	<u>0.03</u>																																																
	<u>0.04</u>	<u>0.04</u>																																																
	0.06	0.06																																																
	0.08	0.08																																																
	0.10	0.10																																																

新 旧 対 照 表

【治山・林道事業標準歩掛表（富山県版）】

（共通事項・治山事業・林道事業・作業日当たり標準作業量）

改 正 後	現 行	備 考																																																																																																				
林 道 事 業 3－1 【 省 略 】 3－2 構造物関係 3－2－1 ～ 3－2－3 【 省 略 】 3－2－4 ガードレール基礎（鉄筋工）（S 6 8 2 0） ガードレール基礎（鉄筋工）歩掛（100 組あたり） <table><tr><td>名 称</td><td>規 格</td><td>数 量</td><td>単位</td><td>摘 要</td></tr><tr><td>鉄 筋 工</td><td>SD295A D13</td><td>298.2</td><td>kg</td><td><u>S 5 2 1 0</u></td></tr></table> 3－2－5 木製駒止工（S 5 4 8 3） 木製駒止工歩掛（10mあたり） <table><tr><td>名 称</td><td>数 量</td><td>単位</td><td>摘 要</td></tr><tr><td>木製駒止ブロック</td><td>8.0</td><td>個</td><td>T C 6 4 3</td></tr><tr><td>型 枠</td><td>12.22</td><td>m2</td><td>S P 2 0 8 4</td></tr><tr><td>コンクリート</td><td>1.41</td><td>m3</td><td>S 5 2 0 9</td></tr><tr><td>鉄 筋 工</td><td>43.46</td><td>kg</td><td><u>S 5 2 1 0</u></td></tr><tr><td>目 地 板</td><td>0.16</td><td>m2</td><td>S P 2 0 7 6</td></tr><tr><td>基面整正</td><td>5.00</td><td>m2</td><td>S P 2 0 1 2</td></tr><tr><td>基礎碎石</td><td>5.00</td><td>m2</td><td>S P 2 0 3 0</td></tr><tr><td>床 堀 り</td><td>3.7</td><td>m3</td><td>S P 2 0 1 0</td></tr><tr><td>埋 戻</td><td>2.1</td><td>m3</td><td>S P 2 0 1 4</td></tr></table> (注) 【省略】 3－2－6 【省略】 3－3～3－4 【省略】	名 称	規 格	数 量	単位	摘 要	鉄 筋 工	SD295A D13	298.2	kg	<u>S 5 2 1 0</u>	名 称	数 量	単位	摘 要	木製駒止ブロック	8.0	個	T C 6 4 3	型 枠	12.22	m2	S P 2 0 8 4	コンクリート	1.41	m3	S 5 2 0 9	鉄 筋 工	43.46	kg	<u>S 5 2 1 0</u>	目 地 板	0.16	m2	S P 2 0 7 6	基面整正	5.00	m2	S P 2 0 1 2	基礎碎石	5.00	m2	S P 2 0 3 0	床 堀 り	3.7	m3	S P 2 0 1 0	埋 戻	2.1	m3	S P 2 0 1 4	林 道 事 業 3－1 【 省 略 】 3－2 構造物関係 3－2－1 ～ 3－2－3 【 省 略 】 3－2－4 ガードレール基礎（鉄筋工）（S 6 8 2 0） ガードレール基礎（鉄筋工）歩掛（100 組あたり） <table><tr><td>名 称</td><td>規 格</td><td>数 量</td><td>単位</td><td>摘 要</td></tr><tr><td>鉄 筋 工</td><td>SD295A D13</td><td>298.2</td><td>kg</td><td><u>S S 0 0 1</u></td></tr></table> 3－2－5 木製駒止工（S 5 4 8 3） 木製駒止工歩掛（10mあたり） <table><tr><td>名 称</td><td>数 量</td><td>単位</td><td>摘 要</td></tr><tr><td>木製駒止ブロック</td><td>8.0</td><td>個</td><td>T C 6 4 3</td></tr><tr><td>型 枠</td><td>12.22</td><td>m2</td><td>S P 2 0 8 4</td></tr><tr><td>コンクリート</td><td>1.41</td><td>m3</td><td>S 5 2 0 9</td></tr><tr><td>鉄 筋 工</td><td>43.46</td><td>kg</td><td><u>S S 0 0 1</u></td></tr><tr><td>目 地 板</td><td>0.16</td><td>m2</td><td>S P 2 0 7 6</td></tr><tr><td>基面整正</td><td>5.00</td><td>m2</td><td>S P 2 0 1 2</td></tr><tr><td>基礎碎石</td><td>5.00</td><td>m2</td><td>S P 2 0 3 0</td></tr><tr><td>床 堀 り</td><td>3.7</td><td>m3</td><td>S P 2 0 1 0</td></tr><tr><td>埋 戻</td><td>2.1</td><td>m3</td><td>S P 2 0 1 4</td></tr></table> (注) 【省略】 3－2－6 【省略】 3－3～3－4 【省略】	名 称	規 格	数 量	単位	摘 要	鉄 筋 工	SD295A D13	298.2	kg	<u>S S 0 0 1</u>	名 称	数 量	単位	摘 要	木製駒止ブロック	8.0	個	T C 6 4 3	型 枠	12.22	m2	S P 2 0 8 4	コンクリート	1.41	m3	S 5 2 0 9	鉄 筋 工	43.46	kg	<u>S S 0 0 1</u>	目 地 板	0.16	m2	S P 2 0 7 6	基面整正	5.00	m2	S P 2 0 1 2	基礎碎石	5.00	m2	S P 2 0 3 0	床 堀 り	3.7	m3	S P 2 0 1 0	埋 戻	2.1	m3	S P 2 0 1 4	治山林道必携の 改正による 治山林道必携の 改正による
名 称	規 格	数 量	単位	摘 要																																																																																																		
鉄 筋 工	SD295A D13	298.2	kg	<u>S 5 2 1 0</u>																																																																																																		
名 称	数 量	単位	摘 要																																																																																																			
木製駒止ブロック	8.0	個	T C 6 4 3																																																																																																			
型 枠	12.22	m2	S P 2 0 8 4																																																																																																			
コンクリート	1.41	m3	S 5 2 0 9																																																																																																			
鉄 筋 工	43.46	kg	<u>S 5 2 1 0</u>																																																																																																			
目 地 板	0.16	m2	S P 2 0 7 6																																																																																																			
基面整正	5.00	m2	S P 2 0 1 2																																																																																																			
基礎碎石	5.00	m2	S P 2 0 3 0																																																																																																			
床 堀 り	3.7	m3	S P 2 0 1 0																																																																																																			
埋 戻	2.1	m3	S P 2 0 1 4																																																																																																			
名 称	規 格	数 量	単位	摘 要																																																																																																		
鉄 筋 工	SD295A D13	298.2	kg	<u>S S 0 0 1</u>																																																																																																		
名 称	数 量	単位	摘 要																																																																																																			
木製駒止ブロック	8.0	個	T C 6 4 3																																																																																																			
型 枠	12.22	m2	S P 2 0 8 4																																																																																																			
コンクリート	1.41	m3	S 5 2 0 9																																																																																																			
鉄 筋 工	43.46	kg	<u>S S 0 0 1</u>																																																																																																			
目 地 板	0.16	m2	S P 2 0 7 6																																																																																																			
基面整正	5.00	m2	S P 2 0 1 2																																																																																																			
基礎碎石	5.00	m2	S P 2 0 3 0																																																																																																			
床 堀 り	3.7	m3	S P 2 0 1 0																																																																																																			
埋 戻	2.1	m3	S P 2 0 1 4																																																																																																			